



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/840,169	05/06/2004	Myoung-Kwan Kim	51922/P849	7507
23363 7590 01/04/2008 CHRISTIE, PARKER & HALE, LLP PO BOX 7068 PASADENA, CA 91109-7068			EXAMINER SHAPIRO, LEONID	
			ART UNIT 2629	PAPER NUMBER
			MAIL DATE 01/04/2008	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/840,169	<b>Applicant(s)</b> KIM ET AL.	
	<b>Examiner</b> Leonid Shapiro	<b>Art Unit</b> 2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 19 October 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,2,4-14,16-23 and 29 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-2,4-14,16-23,29 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

***Claim Objections***

Claim objected to because of the following informalities:

Claim 16 depends on canceled claim 15.

Appropriate correction is required.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1-2,13-14,24-26,29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim (6,191,762 B1) in view of Jeddelloh (6,157,398) and Nagai (6,608,610 B2).

As to claims 1-2,29 Kim teaches an address data processor for a plasma display panel (PDP) (Col. 1, lines 6-10), comprising:

a subfield data generator for receiving the selected data, and generating corresponding subfield data (fig. 1, item 14a, col. 1, lines 25-27 and 59-63);

a frame memory for storing the subfield data, and outputting the stored subfield data (fig. 1, item 14b, col. 1, lines 25-29); and

a subfield data arranger for receiving the subfield data output by the

frame memory, and arranging the received subfield data as address data for each subfield (fig. 1, item 14c, from col. 1, line 59 to col. 2, line 8).

Kim does not disclose using a rising edge and a falling edge of a reference clock signal.

Jeddeloh teaches to enables the transfers to the frame memory on both a rising edge and a falling edge of a reference clock signal (fig.2, items 156,162, col. 4, lines 20-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Jeddeloh teachings into Kim system in order to enable pipelining (col. 4, lines 30-40 in the Jeddeloh reference).

Kim and Jeddeloh do not disclose an RGB mixer for receiving the RGB video data, selecting data as a specific combination of the RGB video data, and outputting the selected data to the subfield data generator.

Nagai teaches an RGB mixer for receiving the RGB video data, selecting data as a specific combination of the RGB video data, and outputting the selected data to the subfield data generator (fig. 1A, items 14-15, col. 9, lines 36-47).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Nagai teachings into Kim and Jeddeloh system in order to , response to signal format (col. 1, lines 36-38 in the Nagai reference).

As to claims 13-14, Kim teaches a method processing data for a plasma display panel (PDP) (Col. 1, lines 6-10), comprising:

b) storing the subfield data in a frame (fig. 1, item 14b, col. 1, lines 25-29);  
c) reading the subfield data stored in the frame memory (fig. 1, item 14b, col. 1, lines 25-29) ; and

(d) arranging the subfield data read from the frame memory as address data for each subfield, and outputting the address (fig. 1, item 14c, from col. 1, line 59 to col. 2, line 8).

Kim does not disclose using a rising edge and a falling edge of a reference clock signal.

Jeddeloh teaches to enables the transfers to the frame memory on both a rising edge and a falling edge of a reference clock signal (fig.2, items 156,162, col. 4, lines 20-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Jeddeloh teachings into Kim system in order to enable pipelining (col. 4, lines 30-40 in the Jeddeloh reference).

Kim and Jeddeloh do not disclose receiving the RGB video data, selecting video data as a specific combination of the RGB video data.

Nagai teaches an RGB mixer for receiving the RGB video data, selecting data as a specific combination of the RGB video data (fig. 1A, items 14-15, col. 9, lines 36-47).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Nagai teachings into Kim and Jeddelloh system in order to , response to signal format (col. 1, lines 36-38 in the Nagai reference).

As to claim 24, Kim teaches in a method processing data in a plasma display panel (PDP), a recording medium for storing a program for performing address data processing operations (Col. 1, lines 6-10), comprising:

- a) generating subfield data corresponding to RGB input video data (fig. 1, item 14a, col. 1, lines 25-27 and 59-63);
- b) storing the subfield data in a frame (fig. 1, item 14b, col. 1, lines 25-29);
- c) reading the subfield data stored in the frame memory (fig. 1, item 14b, col. 1, lines 25-29) ; and
- (d) arranging the subfield data read from the frame memory as address data for each subfield, and outputting the address data to the PDP to represent gray on the PDP (fig. 1, item 14c, from col. 1, line 59 to col. 2, line 8).

Kim does not disclose using a rising edge and a falling edge of a reference clock signal.

Jeddelloh teaches to enables the transfers to the frame memory on both a rising edge and a falling edge of a reference clock signal (fig.2, items 156,162, col. 4, lines 20-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Jeddelloh teachings into Kim system in order to enable pipelining (col. 4, lines 30-40 in the Jeddelloh reference).

As to claim 25-26 Kim teaches an address data processor for a plasma display panel (PDP) (Col. 1, lines 6-10), comprising:

a subfield data generator for receiving video data having at least color, and generating corresponding subfield data (fig. 1, item 14a, col. 1, lines 25-27 and 59-63);

a frame memory for storing the subfield data, and outputting the stored subfield data (fig. 1, item 14b, col. 1, lines 25-29); and

a subfield data arranger for receiving the subfield data output by the frame memory, arranging the subfield data as address data for each subfield, and outputting the address data to represent gray on the PDP (fig. 1, item 14c, from col. 1, line 59 to col. 2, line 8).

Kim does not disclose using a rising edge and a falling edge of a reference clock signal.

Jeddeloh teaches to enables the transfers to the frame memory on both a rising edge and a falling edge of a reference clock signal (fig.2, items 156,162, col. 4, lines 20-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Jeddeloh teachings into Kim system in order to enable pipelining (col. 4, lines 30-40 in the Jeddeloh reference).

2. Claims 4, 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim and Jeddeloh as applied to claims 1,13 above, and further in view of Nagai (6,608,610 B2).

Art Unit: 2629

Kim and Jeddeloh do not disclose an RGB mixer for receiving the RGB video data, selecting data as a specific combination of the RGB video data, and outputting the selected data to the subfield data generator.

Nagai teaches an RGB mixer for receiving the RGB video data, selecting data as a specific combination of the RGB video data, and outputting the selected data to the subfield data generator (fig. 1A, items 14-15, col. 9, lines 36-47).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Nagai teachings into Kim and Jeddeloh system in order to response to signal format (col. 1, lines 36-38 in the Nagai reference).

3. Claims 5,17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nagai, Kim and Jeddeloh as applied to claim 4 above, and further in view of Sha et al (7,142,251 B2).

Nagai, Kim and Jeddeloh do not disclose RGB and GBR selection order.

Sha et al. teaches RGB and GBR selection order (fig. 2B, item 51, col. 11, lines 43-59).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Sha et al. teachings into Nagai, Kim and Jeddeloh system in order to preprocess different formats (col.1, lines 16-21 in the Sha et al. reference).

***Allowable Subject Matter***



4. Claim 6-12,18-23,27-28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Relative to claims 6,18,27 the major difference between the teaching of the prior art of record (Kim, Jeddeloh and Nagai) and the instant invention is that a subfield matrix for receiving the subfield data generated by the subfield data generator and output in series, converting the subfield data for a specific number of neighboring cells on the same line into parallel subfield data, and outputting the parallel subfield data to the frame memory.

Claims 19-23 depend on claim 18.

Relative to claims 7,28 the major difference between the teaching of the prior art of record (Kim, Jeddeloh and Nagai) and the instant invention is that the subfield data generator comprises a first subfield data generator and a second subfield data generator for respectively generating subfield data corresponding to two sets of video data selected from the RGB video data, and the subfield matrix comprises a first subfield matrix and a second subfield matrix for respectively receiving the subfield data output in series by the first and second subfield data generators, generating parallel subfield data corresponding to a specific number of neighboring cells, and outputting the parallel subfield data.

Claim 8 depends on claim 7.

Relative to claim 7 the major difference between the teaching of the prior art of record (Kim, Jeddeloh and Nagai) and the instant invention is that a data buffer for

Art Unit: 2629

receiving the subfield data generated by the subfield data generator, dividing the subfield data into two subfield data sets, providing the two subfield data sets to the frame memory using the rising edge and the falling edge of the reference clock signal, respectively, reading the subfield data sets using the rising edge and the falling edge, respectively, of the reference clock signal, and providing the two subfield data sets to the subfield data arranger.

Claims 10-12 depend on claim 9.

### ***Response to Arguments***

5. Applicant's arguments filed 10/19/07 have been fully considered but they are not persuasive:

On page 8, last paragraph of Remark, Applicant's stated that Nagai does not disclose or suggest "an RGB mixer for receiving RGB video data, and selecting data as a specific combination of the RGB video data" as recited in independent Claims. However, Nagai teaches an RGB mixer for receiving the RGB video data, selecting data as a specific combination of the RGB video data, and outputting the selected data to the subfield data generator (fig. 1A, items 14-15, col. 9, lines 36-47).

Notice, that absent clearly definition in the claims, any combination of the RGB video data is specific, including two sets of video data.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

***Telephone Inquire***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonid Shapiro whose telephone number is 571-272-7683. The examiner can normally be reached on 8 a.m. to 5 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LS  
12.24.07

A handwritten signature in black ink, appearing to be 'R. M. L.', is written over a faint, illegible stamp.A faint, rectangular stamp is visible beneath the signature. The text within the stamp is mostly illegible but appears to contain the words 'OFFICE OF THE COMMISSIONER OF PATENTS' and 'UNITED STATES DEPARTMENT OF COMMERCE'.